

```
bin/iperf.exe -c 192.168.1.30 -P 1 -i 1 -p 5001 -f k -t 10
```

```
-----  
Client connecting to 192.168.1.30, TCP port 5001  
TCP window size: 64.0 KByte (default)  
-----
```

```
[240] local 192.168.1.51 port 51865 connected with 192.168.1.30 port 5001
```

[ID]	Interval	Transfer	Bandwidth
[240]	0.0- 1.0 sec	100704 KBytes	824967 Kbits/sec
[240]	1.0- 2.0 sec	102320 KBytes	838205 Kbits/sec
[240]	2.0- 3.0 sec	101896 KBytes	834732 Kbits/sec
[240]	3.0- 4.0 sec	102016 KBytes	835715 Kbits/sec
[240]	4.0- 5.0 sec	101584 KBytes	832176 Kbits/sec
[240]	5.0- 6.0 sec	101920 KBytes	834929 Kbits/sec
[240]	6.0- 7.0 sec	101680 KBytes	832963 Kbits/sec
[240]	7.0- 8.0 sec	100096 KBytes	819986 Kbits/sec
[240]	8.0- 9.0 sec	101856 KBytes	834404 Kbits/sec
[240]	9.0-10.0 sec	101960 KBytes	835256 Kbits/sec
[240]	0.0-10.0 sec	1016040 KBytes	831792 Kbits/sec

```
Done.
```

```
bin/iperf.exe -c 192.168.1.30 -P 1 -i 1 -p 5001 -f M -t 120
```

```
-----  
Client connecting to 192.168.1.30, TCP port 5001  
TCP window size: 0.06 MByte (default)  
-----
```

```
[244] local 192.168.1.51 port 51868 connected with 192.168.1.30 port 5001
```

[ID]	Interval	Transfer	Bandwidth
[244]	0.0- 1.0 sec	98.7 MBytes	98.7 MBytes/sec
[244]	1.0- 2.0 sec	99.8 MBytes	99.8 MBytes/sec
[244]	2.0- 3.0 sec	99.6 MBytes	99.6 MBytes/sec
[244]	3.0- 4.0 sec	99.5 MBytes	99.5 MBytes/sec
[244]	4.0- 5.0 sec	99.4 MBytes	99.4 MBytes/sec
[244]	5.0- 6.0 sec	99.5 MBytes	99.5 MBytes/sec
[244]	6.0- 7.0 sec	97.7 MBytes	97.7 MBytes/sec
[244]	7.0- 8.0 sec	99.2 MBytes	99.2 MBytes/sec
[244]	8.0- 9.0 sec	99.1 MBytes	99.1 MBytes/sec
[244]	9.0-10.0 sec	99.4 MBytes	99.4 MBytes/sec
[244]	10.0-11.0 sec	99.1 MBytes	99.1 MBytes/sec
[244]	11.0-12.0 sec	90.8 MBytes	90.8 MBytes/sec
[244]	12.0-13.0 sec	91.5 MBytes	91.5 MBytes/sec
[244]	13.0-14.0 sec	93.6 MBytes	93.6 MBytes/sec
[244]	14.0-15.0 sec	99.7 MBytes	99.7 MBytes/sec
[244]	15.0-16.0 sec	99.9 MBytes	99.9 MBytes/sec
[244]	16.0-17.0 sec	99.2 MBytes	99.2 MBytes/sec
[244]	17.0-18.0 sec	99.3 MBytes	99.3 MBytes/sec
[244]	18.0-19.0 sec	99.4 MBytes	99.4 MBytes/sec
[244]	19.0-20.0 sec	98.0 MBytes	98.0 MBytes/sec
[ID]	Interval	Transfer	Bandwidth
[244]	20.0-21.0 sec	98.5 MBytes	98.5 MBytes/sec
[244]	21.0-22.0 sec	98.9 MBytes	98.9 MBytes/sec
[244]	22.0-23.0 sec	99.1 MBytes	99.1 MBytes/sec
[244]	23.0-24.0 sec	99.4 MBytes	99.4 MBytes/sec
[244]	24.0-25.0 sec	99.0 MBytes	99.0 MBytes/sec
[244]	25.0-26.0 sec	99.6 MBytes	99.6 MBytes/sec

[244]	26.0-27.0	sec	98.2	MBytes	98.2	MBytes/sec
[244]	27.0-28.0	sec	99.5	MBytes	99.5	MBytes/sec
[244]	28.0-29.0	sec	99.2	MBytes	99.2	MBytes/sec
[244]	29.0-30.0	sec	99.3	MBytes	99.3	MBytes/sec
[244]	30.0-31.0	sec	99.2	MBytes	99.2	MBytes/sec
[244]	31.0-32.0	sec	98.3	MBytes	98.3	MBytes/sec
[244]	32.0-33.0	sec	97.9	MBytes	97.9	MBytes/sec
[244]	33.0-34.0	sec	99.2	MBytes	99.2	MBytes/sec
[244]	34.0-35.0	sec	98.9	MBytes	98.9	MBytes/sec
[244]	35.0-36.0	sec	99.2	MBytes	99.2	MBytes/sec
[244]	36.0-37.0	sec	98.9	MBytes	98.9	MBytes/sec
[244]	37.0-38.0	sec	99.0	MBytes	99.0	MBytes/sec
[244]	38.0-39.0	sec	99.3	MBytes	99.3	MBytes/sec
[244]	39.0-40.0	sec	98.7	MBytes	98.7	MBytes/sec
[ID]	Interval			Transfer		Bandwidth
[244]	40.0-41.0	sec	98.7	MBytes	98.7	MBytes/sec
[244]	41.0-42.0	sec	98.1	MBytes	98.1	MBytes/sec
[244]	42.0-43.0	sec	99.8	MBytes	99.8	MBytes/sec
[244]	43.0-44.0	sec	99.4	MBytes	99.4	MBytes/sec
[244]	44.0-45.0	sec	99.4	MBytes	99.4	MBytes/sec
[244]	45.0-46.0	sec	98.8	MBytes	98.8	MBytes/sec
[244]	46.0-47.0	sec	99.2	MBytes	99.2	MBytes/sec
[244]	47.0-48.0	sec	98.8	MBytes	98.8	MBytes/sec
[244]	48.0-49.0	sec	97.9	MBytes	97.9	MBytes/sec
[244]	49.0-50.0	sec	99.8	MBytes	99.8	MBytes/sec
[244]	50.0-51.0	sec	99.1	MBytes	99.1	MBytes/sec
[244]	51.0-52.0	sec	99.6	MBytes	99.6	MBytes/sec
[244]	52.0-53.0	sec	99.2	MBytes	99.2	MBytes/sec
[244]	53.0-54.0	sec	98.9	MBytes	98.9	MBytes/sec
[244]	54.0-55.0	sec	99.3	MBytes	99.3	MBytes/sec
[244]	55.0-56.0	sec	97.8	MBytes	97.8	MBytes/sec
[244]	56.0-57.0	sec	99.4	MBytes	99.4	MBytes/sec
[244]	57.0-58.0	sec	98.9	MBytes	98.9	MBytes/sec
[244]	58.0-59.0	sec	98.6	MBytes	98.6	MBytes/sec
[244]	59.0-60.0	sec	99.6	MBytes	99.6	MBytes/sec
[ID]	Interval			Transfer		Bandwidth
[244]	60.0-61.0	sec	99.7	MBytes	99.7	MBytes/sec
[244]	61.0-62.0	sec	99.0	MBytes	99.0	MBytes/sec
[244]	62.0-63.0	sec	97.9	MBytes	97.9	MBytes/sec
[244]	63.0-64.0	sec	99.7	MBytes	99.7	MBytes/sec
[244]	64.0-65.0	sec	99.4	MBytes	99.4	MBytes/sec
[244]	65.0-66.0	sec	99.3	MBytes	99.3	MBytes/sec
[244]	66.0-67.0	sec	99.6	MBytes	99.6	MBytes/sec
[244]	67.0-68.0	sec	98.9	MBytes	98.9	MBytes/sec
[244]	68.0-69.0	sec	99.5	MBytes	99.5	MBytes/sec
[244]	69.0-70.0	sec	98.2	MBytes	98.2	MBytes/sec
[244]	70.0-71.0	sec	99.4	MBytes	99.4	MBytes/sec
[244]	71.0-72.0	sec	99.4	MBytes	99.4	MBytes/sec
[244]	72.0-73.0	sec	99.3	MBytes	99.3	MBytes/sec
[244]	73.0-74.0	sec	99.0	MBytes	99.0	MBytes/sec
[244]	74.0-75.0	sec	99.3	MBytes	99.3	MBytes/sec
[244]	75.0-76.0	sec	99.4	MBytes	99.4	MBytes/sec
[244]	76.0-77.0	sec	99.0	MBytes	99.0	MBytes/sec
[244]	77.0-78.0	sec	97.6	MBytes	97.6	MBytes/sec

[244]	78.0-79.0	sec	98.9 MBytes	98.9 MBytes/sec
[244]	79.0-80.0	sec	99.1 MBytes	99.1 MBytes/sec
[ID]	Interval		Transfer	Bandwidth
[244]	80.0-81.0	sec	99.3 MBytes	99.3 MBytes/sec
[244]	81.0-82.0	sec	99.2 MBytes	99.2 MBytes/sec
[244]	82.0-83.0	sec	99.1 MBytes	99.1 MBytes/sec
[244]	83.0-84.0	sec	99.5 MBytes	99.5 MBytes/sec
[244]	84.0-85.0	sec	99.1 MBytes	99.1 MBytes/sec
[244]	85.0-86.0	sec	99.4 MBytes	99.4 MBytes/sec
[244]	86.0-87.0	sec	97.9 MBytes	97.9 MBytes/sec
[244]	87.0-88.0	sec	99.6 MBytes	99.6 MBytes/sec
[244]	88.0-89.0	sec	99.5 MBytes	99.5 MBytes/sec
[244]	89.0-90.0	sec	99.3 MBytes	99.3 MBytes/sec
[244]	90.0-91.0	sec	99.5 MBytes	99.5 MBytes/sec
[244]	91.0-92.0	sec	99.3 MBytes	99.3 MBytes/sec
[244]	92.0-93.0	sec	98.0 MBytes	98.0 MBytes/sec
[244]	93.0-94.0	sec	99.6 MBytes	99.6 MBytes/sec
[244]	94.0-95.0	sec	99.3 MBytes	99.3 MBytes/sec
[244]	95.0-96.0	sec	99.2 MBytes	99.2 MBytes/sec
[244]	96.0-97.0	sec	98.8 MBytes	98.8 MBytes/sec
[244]	97.0-98.0	sec	99.3 MBytes	99.3 MBytes/sec
[244]	98.0-99.0	sec	99.3 MBytes	99.3 MBytes/sec
[244]	99.0-100.0	sec	97.7 MBytes	97.7 MBytes/sec
[ID]	Interval		Transfer	Bandwidth
[244]	100.0-101.0	sec	99.2 MBytes	99.2 MBytes/sec
[244]	101.0-102.0	sec	99.2 MBytes	99.2 MBytes/sec
[244]	102.0-103.0	sec	99.3 MBytes	99.3 MBytes/sec
[244]	103.0-104.0	sec	99.1 MBytes	99.1 MBytes/sec
[244]	104.0-105.0	sec	98.8 MBytes	98.8 MBytes/sec
[244]	105.0-106.0	sec	99.5 MBytes	99.5 MBytes/sec
[244]	106.0-107.0	sec	97.4 MBytes	97.4 MBytes/sec
[244]	107.0-108.0	sec	99.0 MBytes	99.0 MBytes/sec
[244]	108.0-109.0	sec	99.3 MBytes	99.3 MBytes/sec
[244]	109.0-110.0	sec	99.3 MBytes	99.3 MBytes/sec
[244]	110.0-111.0	sec	99.2 MBytes	99.2 MBytes/sec
[244]	111.0-112.0	sec	99.6 MBytes	99.6 MBytes/sec
[244]	112.0-113.0	sec	99.6 MBytes	99.6 MBytes/sec
[244]	113.0-114.0	sec	98.0 MBytes	98.0 MBytes/sec
[244]	114.0-115.0	sec	99.2 MBytes	99.2 MBytes/sec
[244]	115.0-116.0	sec	99.3 MBytes	99.3 MBytes/sec
[244]	116.0-117.0	sec	98.9 MBytes	98.9 MBytes/sec
[244]	117.0-118.0	sec	99.4 MBytes	99.4 MBytes/sec
[244]	118.0-119.0	sec	99.5 MBytes	99.5 MBytes/sec
[244]	119.0-120.0	sec	98.8 MBytes	98.8 MBytes/sec
[ID]	Interval		Transfer	Bandwidth
[244]	0.0-120.0	sec	11867 MBytes	98.9 MBytes/sec

Done.